R
A VIII f

QK92
.R65
M3
1799

THE • NEW • YORK • BOTANICAL • GARDEN
PRO SCIENTIA ATQUE SALUTE POPULIQUE
1891
LIBRARY

LIBRARY OF
THE NEW YORK
BOTANICAL GARDEN

580.2
M362

To the President — Mrs. A. Eastman

A Happy Xmas — and

The Happiest New Year —

Xmas 1934 —

Affectionately Yours —

Maud B. S. —

THIRTY-EIGHT PLATES,

WITH

EXPLANATIONS;

INTENDED TO ILLUSTRATE

LINNÆUS's SYSTEM OF VEGETABLES,

AND PARTICULARLY ADAPTED TO THE

LETTERS ON THE ELEMENTS OF BOTANY.

By THOMAS MARTYN, B. D. F. R. & L. S. S.

REGIUS PROFESSOR OF BOTANY

IN THE UNIVERSITY OF CAMBRIDGE.

LONDON:

PRINTED FOR J. WHITE, AT HORACE'S HEAD,

FLEET-STREET.

1799.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

+QK92
.R65
M3
1799

3614

LIBRARY
NEW YORK
BOTANICAL
GARDEN

ADVERTISEMENT.

SOME perſons, who have honoured the *Letters on the Elements of Botany* with their approbation, having ſignified a wiſh that the ſubject might be ſtill farther illuſtrated by figures, Mr. NODDER, an ingenious artiſt, has been employed for this purpoſe, and has both drawn and engraved thirty-eight plates. By theſe, and the explanations which are given on the oppoſite page,

(Bequest of Sarah E. Fiske)

FEB 8 1950

the Author hopes that he may have met the ideas of his friends.

Theſe Plates, with their explanations, may be conſidered as an entire work: but it is preſumed that they will be much more ſatisfactory when ſtudied jointly with the Letters.

Six plates are given to illuſtrate Rouſſeau's ſix letters upon the moſt remarkable Natural Claſſes. The reſt are intended to explain the Claſſes of Linnæus's Syſtem in their order, except the thirty-fourth, which exhibits figures of the moſt remarkable Nectaries. No general plate, explanatory of the claſſical characters, is given; both becauſe it has already been elegantly done by Mr. Curtis, and alſo may eaſily be collected from the particular plates of this work.

Thus

Thus the character of the Claſs

MONANDRIA is explained in — Plate VII.
DIANDRIA — — — VIII.
TRIANDRIA DIGYNIA — — IX.
———————MONOGYNIA — — X.
TETRANDRIA — — — XI.
PENTANDRIA MONOGYNIA — XII.
———————— DIGYNIA — V. and XIII.
HEXANDRIA — — I. and XIV.
HEPTANDRIA } — — XV.
OCTANDRIA }
ENNEANDRIA } — — XVI.
DECANDRIA }
DODECANDRIA — — XVII.
ICOSANDRIA — — XVIII.
POLYANDRIA — — XIX.
DIDYNAMIA — — IV. and XX.
TETRADYNAMIA — — II. and XXI.
MONADELPHIA — — XXII.
DIADELPHIA — — III. and XXIII.
POLYADELPHIA — — XXIV.
SYNGENESIA — — — VI.
———————POLYGAMIA ÆQUALIS — XXV.
———————————— SUPERFLUA XXVI.

	PLATE
SYNGENESIA POLYGAMIA FRUSTRANEA & NECESSARIA	XXVII.
SEGREGATA	XXVIII.
MONOGAMIA	XXIX.
GYNANDRIA	XXX.
MONOECIA	XXXI.
DIOECIA	XXXII.
POLYGAMIA	XXXIII.
CRYPTOGAMIA, FILICES	XXXV.
MUSCI	XXXVI.
ALGÆ	XXXVII.
FUNGI	XXXVIII.

PLATE



Drawn & Engraved by R. P. Nodder. -

Published 1 May 1788, as the Act directs, by B. White & Son.

PLATE I. LETTER I.

LILIACEOUS FLOWERS.

Lilium candidum. *White Lily.*

a The flower in bud.
b The corolla expanding.
c The corolla quite open.
d The piſtil or pointal. *e* The germ. *f* The ſtyle. *g* The ſtigma.
h The ſix ſtamens. *i* The filaments. *k* The anthers.
l The germ advanced into a pericarp, which here is a capſule.
m A tranſverſe ſection of the pericarp, to ſhow the three cells and ſeeds.

Drawn & Engraved by J. P. Noble.

Published 1 May 1788 as the Act directs by B. White & Son.)

PLATE II. LETTER II.

CRUCIFORM FLOWERS.

Cheiranthus incanus. *Stock-Gilliflower.*

a A flower of the ſtock, ſhowing the four petals and the cruciform ſhape of the corolla.

b A back view of it, exhibiting the calyx, conſiſting of four leaflets, and bulging out at the bottom.

c A ſingle petal ſeparated, to ſhow the lower narrow part, called *unguis*, or the tail; and the upper ſpreading part, named *lamina*, or the border, emarginate or notched at the end.

d A ſection of the calyx, with the ſingle piſtil and ſix ſtamens in their proper ſituation.

e The ſix ſtamens, two of which are ſenſibly ſhorter than the other four.

f The piſtil ſeparated from the other parts.

g A ſingle ſtamen.

h The fruit, ſeed-veſſel, or pericarp, called a ſilique, opening from the bottom

upwards, and ſhowing the two valves, with the ſeeds ranged along the diſſepiment, or partition, of the two cells, and the permanent ſtigma at the top.

i k l Figures of ſilicles, or ſmall ſhort pods or pouches.

i The flat triangular, or heart-ſhaped ſilicle of the ſhepherd's purſe.

k The oblong ſilicle of ſcurvy-graſs, both ſhut and open.

l The almoſt ſpherical ſilicle of candy-tuft. *See Letter* XXIII. *and Plate* XXI.

e Explains the claſſical character of the claſs *Tetradynamia*, and

h i k l Explain the characters of the two orders, *Siliquoſa* and *Siliculoſa*, into which it is divided.



Drawn & Engraved by F.P. Nodder.

Published 1 May 1788 as the Act directs by B. White & Son.

PLATE III. LETTER III.

PAPILIONACEOUS FLOWERS.

Piſum ſativum. *Garden Pea.*

Fig. 1. The peduncle or flower-ſtem of the pea, ſhowing the papilionaceous corolla in three different ſituations.

a A young flower not fully expanded.

b An expanded flower, ſhowing the back; the ſtandard, or banner, fully diſplayed, and the calyx cleft into five parts.

c A ſide view of an expanded flower, ſhowing the banner, wings, and keel in their natural ſituation.

Fig. 2. The banner *(vexillum)*, obcordate or inverſely heart-ſhaped, and emarginate.

3. The two wings *(alæ)*.

4. The keel *(carina)*.

5. The piſtil and ſtamens in their natural ſituation.

Fig. 6. The lower broad ſtamen, which involves the germ, terminating in nine filaments, with an anther on each.

7. The upper narrow filament, accompanied with the piſtil.

8. The pericarp, which is a legume, or pod, open to ſhow the two valves and the ſeeds faſtened alternately to the ſutures of the valves at the back of the legume. The permanent calyx is alſo here exhibited.

Obſ. The character of the claſs *Diadelphia*, and of the order *Decandria*, as alſo of the natural claſs of *Leguminous* plants, is here explained.





Drawn & Engraved by F. P. Nodder

Published 1 May 1788, as the Act directs by B. White & Son.

PLATE IV. LETTER IV.

RINGENT FLOWERS.

Fig. 1. Lamium album. *White Dead Nettle.*

a Part of a whorl of flowers, ſhowing how they grow in the boſom of a leaf.

b A ſingle flower, ſhowing the ſtructure of a labiate or ringent corolla, and of that of the Lamium in particular.

c The corolla cut away, in order to ſhow more diſtinctly the ſituation of the ſtamens and the claſſical character.

d The germs, with the ſtyle.

e The calyx, with the four ſeeds within it.

Fig. 2. Antirrhinum majus. *Snapdragon.*

a The cloſed ringent, or perſonate corolla, in its natural form.

b The corolla opened, to ſhow the ſituation of the ſtamens.

c The capſule, with the permanent ſtyle and calyx.

Fig. 3. Digitalis purpurea. *Purple Fox-glove.*

a A ſingle flower, ſhowing the open bell-ſhaped corolla.

b The inſide, exhibiting the ſituation and ſtructure of the ſtamens.

c The germ, with the ſtyle.

d The capſule, with the ſtyle permanent.

e A ſection of the capſule.

f A capſule, deprived in part of its outer ſkin, to ſhow the interior texture of the coat.

Drawn & Engraved by E. P. Nodder.

Published 1 May 1788 as the Act directs by B. White & Son.

PLATE V. LETTER V.

UMBELLATE FLOWERS.

Fig. 1. Apium Petroſelinum. *Garden Parſley.*

Fig. 2. Aethuſa Cynapium. *Fool's Parſley.*

a The three long leaflets of the partial involucre, ſhowing a principal difference between this and the true Parſley.

Fig. 3. Scandix Cerefolium. *Garden Chervil.*

Fig. 4. Sambucus nigra. *Common Elder.*

To ſhow the difference between that and an umbellate plant.

Fig. 5. The flower of an umbellate plant magnified, to ſhow the particular ſtructure.

Obſ. Inſtances of compound umbels in Fig. 1, 2, 3, and Fig. 1, 2, of Plate XIII. A ſimple umbel is repreſented at Fig. 3, Plate XIII.



Published as the Act directs by W. White, 1800.

PLATE VI. LETTER VI.

COMPOUND FLOWERS.

Fig. 1. Bellis perennis. *Common Daiſy.*

a The flower, which is compound and of the radiated kind, having ſemiflorets or ligulate florets in the ray, and tubular florets in the diſk.

b A ſection of the receptacle, with the florets on it.

c A ſemi-floret.

d The cylinder of anthers, with the ſtyle perforating it.

e A floret.

Fig. 2. Leontodon Taraxacum. *Dandelion.*

a The whole compound flower, conſiſting entirely of ſemi-florets, called by Linnæus ligulate florets.

b A ſingle floſcule, or floret.

c The head of ſeeds.

Fig. 3.

Showing a floſculous flower, or a flower compoſed of florets only, called by Linnæus tubular florets.

a The whole compound flowers.

b A ſingle floſcule.

c The back of a compound flower, ſhowing the calyx.

Fig. 4. Trifolium pratenſe. *Red Clover.*

To ſhow the difference between this, which is a head or aggregate of flowers, and a genuine compound flower, ſuch as Fig. 1, 2, 3, exhibit.

(Drawn & Engraved by Sam.l Watts.)

Published 1 May 1788, as the Act directs, by B. White & Son.

PLATE VII. LETTER XI.

MONANDRIA.

Fig. 1. Canna indica. *Indian Shot.*

a a a Three different views of the flower, the corolla cut into ſix lanceolated parts, one of the three interior reflected.

b The ſcabrous germ, with

c The triphyllous perianth, or calyx, on the top of it.

d The anther growing to one of the petals, which ſerves it for a filament.

e The ſtyle, growing to the petaliform filament.

f The ſcabrous capſule.

g Cut open to ſhow the three cells.

Fig. 2. Hippuris vulgaris. *Mare's Tail.*

a a The germ.

b The ſtamen.

c The ſtyle.

Drawn & Engraved by J. & E. Sowerby.

Published 1. May 1798, as the Act directs, by J. White & Son.)

PLATE VIII. LETTER XII.

DIANDRIA.

Fig. 1. Veronica Chamædrys. *Wild Speedwell.*

a The wheel-ſhaped corolla, divided into four ſegments, the loweſt *(b)* narrower than the reſt.

c The capſule.

d The oval, wrinkled leaves, indented about the edge.

Fig. 2. Jaſminum officinale. *White Jaſmine.*

a A front view of the monopetalous ſalver-ſhaped corolla, divided into five ſegments.

b A back view of the corolla.

c The tube of the corolla, with the anthers lying within it.

d The calyx, with the rudiment of the fruit.

e A leaf pinnated, with all the lobes diſtinct.

Fig. 3. Salvia officinalis. *Garden Sage.*

a A flower.

b The two ſtamens, ſhowing their ſingular ſtructure.

c The piſtil ſeparate.

2

1

Drawn & Engraved by J. & E. Sowerby.

Published 1. May 1791. as the Act directs, by B. White & Son.

PLATE IX. LETTER XIII.

TRIANDRIA, DIGYNIA GRASSES.

Fig. 1. Lolium perenne. *Ray Graſs.*

As an inſtance of a ſpiked graſs.

Fig. 2. Dactylis glomerata. *Hard Graſs.*

a The chaff or glume.

b b b The three ſtamens.

c The two reflected ſtyles, with the feathered ſtigmas.

Drawn & Engr. and p. by F. W. Nichler.

Published 1 May 1788, as the Act directs, by B. White & Son.

PLATE X. LETTER XIV.

TRIANDRIA MONOGYNIA.

Iris pumila.

a The ſheath, or ſpathe.
b The corolla, conſiſting of ſix parts, united at the baſe.
c c The outer petals, called *falls*.
d d The inner petals, called *ſtandards*.
e e The petal-form ſtigma, each part concealing one ſtamen under it.
f A ſingle ſtamen.
g The germ, inferior or below the corolla.
h h The nectary, in a villous line along the reflected petals.



Drawn & Engraved by F.P. Nodder;

Publish'd May 1st 1788, as the Act directs by B. White & Son.

PLATE XI. LETTER XV.

TETRANDRIA.

Fig. 1. Scabioſa columbaria. *Small Scabious.*

An aggregate flower, conſiſting of many floſcules.

b A ſingle floſcule; the corolla cut into five irregular ſegments, and the germ crowned with hairs.

c The calyx, with the four ſtamens and the piſtil.

Fig. 2. Rubia peregrina. *Wild Madder.*

An inſtance of ſtellated plants.

The ſquare ſtalk: the ſtellated leaves: the corolla of four ſegments: the double germ below the flower.

Fig. 3. Plantago lanceolata. *Ribwort Plantain.*

a The flowers growing in a ſpike or oblong head.

f The angular ſcape.

o A ſingle flower, exhibiting the quadrifid corolla and the very long filaments.

d The germ and ſtyle.

e The calyx, incloſing the capſule.

Drawn & Engraved by J. T. Wedder.

Published 1. May 1788, as the Act directs, by B. White & Son.

PLATE XII. LETTER XVI.

PENTANDRIA MONOGYNIA.

Fig. 1. Nicotiana Tabacum. *Common Tobacco.*

a A flower-bud.
b A flower, ſhowing the funnel-ſhaped corolla diſplayed.
c The corolla removed, to ſhow the five ſtamens and piſtil.
d A tranſverſe ſection of the capſule.

Fig. 2. A flower of Dodecatheon Meadia.

Fig. 3. Convolvulus ſepium. *Great Bind-Weed.*

a The corolla, with the involucre immediately below it, at Fig. 3.
b The five ſtamens diſplayed.
c The germ within the calyx, with the ſtyle, terminated by the two ſtigmas.

Fig. 4. Lonicera Caprifolium. *Garden Honeyſuckle.*

a A flower, exhibiting the irregular monopetalous corolla.

b The tube opened, to ſhow the manner in which the filaments are fixed.

c The piſtil.

Fig. 5. Vinco major. *Great Periwinkle.*

a The corolla, ſhowing the bending of its five diviſions, and the pentagon form of the *faux*, or opening of the tube.

b The calyx divided to the bottom into five ſegments; and the piſtil with two ſtigmas, one over the other.

c The tube of the corolla opened, to ſhow the ſituation of the five ſtamens and form of the anthers.

d A ſingle ſtamen ſeparate.

Drawn & Engraved by J. & E. Sowerby.

Published 1st May 1795, as the Act directs, by B. White & Son.

PLATE XIII. LETTER XVII.

PENTANDRIA DIGYNIA.

Fig. 1. Sium nodiflorum. *Creeping Water Parſnep.*

To ſhow the difference between this plant and water creſſes, repreſented in Plate XXI.

a A pinnated leaf, the pinnæ, ſmall or component leaves, longer and narrower than thoſe of water creſſes, ſerrated on the edges and pointed at the end: the terminating pinna trifid.

b A ſeſſile umbel of flowers.

c A ſingle flower.—*d* The fruit.

Fig. 2. Scandix Anthriſcus. *Hemlock Chervil.*

To ſhow the difference between that and *Garden Chervil.* Plate 5, Fig. 3.

a An umbel of flowers.

b An umbel of fruits.

Fig. 3. Scandix Pecten. *Shepherd's Needle*, or Venus's Comb.

a The umbels, being inſtances of a ſimple umbel.

b The ſeeds, terminated by the long proceſſes or beaks, which gave occaſion to the names.

Drawn & Engraved by J. & R. Nodder.

Published 1 May 1788, as the Act directs, by B. White & Son.

PLATE XIV. LETTER XVIII.

HEXANDRIA.

Fig. 1. Tradeſcantia Virginica. *Virginian Spiderwort.*

a The corolla of three petals.
b b The three-leaved calyx.
c One of the fringed filaments.
d The piſtil.

Fig. 2. Narciſſus Tazetta. *Polyanthus Narciſſus.*

a The corolla in front, ſhowing the ſix equal petals, and the funnel or cup-ſhaped nectary.
b A back view of the flower, ſhowing that the corolla is ſuperior, or on the top of the germ.
c The ſpathe.
d The corolla opened, to ſhow the ſituation of the ſix ſtamens within the nectary.
e The piſtil.

Drawn & Engraved by S. H. Sadler.

Published 1st May 1788 as the Act directs, by B. White & Son.

PLATE XV. LETTER XIX.

HEPTANDRIA.

Fig. 1. Æſculus Hippocaſtanum. *Horſe Cheſnut.*

a The corolla of five petals, and the ſeven ſtamens, with bending filaments.
b The one-leafed calyx, ſwelling at the baſe, and divided at top into five ſegments.
c The young capſule terminated by the ſtyle.
d A ſingle ſtamen.

OCTANDRIA.

Fig. 2. Oenothera biennis. *Tree Primroſe.*

a A flower, ſhowing the four-parted calyx, and the corolla of four obcordate petals.
b The eight ſtamens, and the piſtil in the middle, with the deflected calyx.
c The piſtil, with the filiform ſtyle, and the quadrifid ſtigma.
d The capſule.
e A tranſverſe ſection of the capſule, ſhowing the four cells.
f The ſeeds.

Fig. 3. Epilobium anguſtifolium. *French Willow.*

a The flower.
b The four-leaved calyx.
c The ſtamens, four longer and four ſhorter.
d A ſingle ſtamen.
e The piſtil.
f The capſule.
g A ſeed crowned with down.

Drawn Engraved by F. P. Nodder

Published 1. May 1788, as the Act directs, by B. White & Son.

PLATE XVI. LETTER XIX.

ENNEANDRIA HEXAGYNIA.

Fig. 1. Butomus umbellatus. *Flowering Ruſh.*

a The flower of ſix petals.
b The nine ſtamens.
c The ſix capſules.

DECANDRIA MONOGYNIA.

Fig. 2. Dictamnus albus. *Fraxinella.*

a The flower, with a corolla of five ſpreading petals.
b The five-leaved calyx, with the capſules.
c A ſingle filament, with its glandules.



Drawn & Engraved by J. L. Vedder

Published 1st May 1796, as the Act directs, by B. H. & J. Vedder

PLATE XVII. LETTER XX.

DODECANDRIA DODECAGYNIA.

Sempervivum tectorum. *Common Houſeleek.*

a The flower-ſtem, with a reflexed range of flowers.

b A flower in front, ſhowing the corolla of twelve petals.

c The calyx, with the capſules, after the flower is paſt.

d A ſingle capſule.

e The twelve ſtamens and twelve ſtyles, ſeparated from the flower.

f A ſingle piſtil, exhibiting the germ, ſtyle, and anther.

g Two ſtamens.

Drawn & Engraved by Wm. Nodder.

Published 1 May 1792, as the Act directs, by B. White & Son.

PLATE XVIII. LETTER XXI.

ICOSANDRIA.

Fig. 1. Myrtus communis. *Common Myrtle.*

a The corolla.

b The fruit or berry.

c A ſingle flower without the corolla, ſhowing the ſtamens proceeding from the calyx.

Fig. 2. Pyrus Cydonia. *The Quince.*

Drawn & Engraved by F. P. Nobbs.

Published 1 May 790, as the Act directs, by S. White & Son.

PLATE XIX. LETTER XXI.

POLYANDRIA.

Fig. 1. Caltha paluſtris. *Marſh Marigold.*

a A flower, ſhowing the corolla of five petals, the many ſtamens ſhorter than the corolla, &c.

b Another flower, ſhowing that it has no calyx.

c The capſules, after the flower is paſt.

Fig. 2. Papaver Rhoeas. *Corn Poppy.*

a The corolla of four large roundiſh petals.

b The numerous ſtamens proceeding from the receptacle.

c The capſule crowned with its ſtigma.

Obſ. Fig. 1. is an inſtance of the order Polygynia. Fig. 2. of the order Monogynia.

Drawn Engraved by F.P. Nodder.

Published 1 May 1788, as the Act directs, by B. White & Son.

PLATE XX. LETTER XXII.

DIDYNAMIA GYMNOSPERMIA.

Fig. 1. Glechoma hederacea. *Ground Ivy.*

a The kidney-ſhaped leaves.
b The ringent flowers.
c A flower opened, to ſhow the ſituation of the ſtamens.
d A flower exhibiting the cruciform appearance of the anthers.
e The calyxes.
f A ſingle filament.
g The piſtil.

DIDYNAMIA ANGIOSPERMIA.

Fig. 2. Bignonia radicans. *Trumpet Flower.*

a The calyx.
b The corolla.
c The corolla diſplayed, to ſhow the ſituation of the ſtamens.
d The piſtil.

Obſ. The claſſical character is clearly ſhown at Fig. 2. *c.*

This claſs was farther illuſtrated in Plate IV.

Drawn & Engraved by F. P. Nodder.

Published 1 st May 1788, as the Act directs, by B. White & Son.

PLATE XXI. LETTER XXIII.

TETRADYNAMIA.

Siſymbrium Naſturtium. *Water Creſs.*

a a The pinnated leaves.

b The odd lobe ending blunt.

c The corymb of flowers.

d A ſingle four-petalled cruciform flower.

e A ſingle petal.

f The calyx.

g The calyx, with the ſtamens.

h A ſingle ſtamen.

i The ſilique.

Compare Plate XIII. *See alſo Plate* II.





3

Drawn & Engraved by F. P. Nodder.

Published 1 May 1788 as the Act directs by B. White & Son

PLATE XXII. LETTER XXIV.

MONADELPHIA.

Fig. 1. Althæa officinalis. *Marſh Mallow.*

a The flower, ſhowing the five petals united at bottom, obcordate or inverſely heart-ſhaped, and ſlightly emarginated or end-nicked. In the centre is the column of ſtamens, with the piſtils in the middle of them.

b The column of ſtamens and piſtils removed from the corolla, and ſhowing the rudiment of the fruit underneath.

c The piſtil ſeparate.

d The calyx, exhibiting the nine diviſions of the outer calyx, which is one of the principal generic characters.

Fig. 2. Malva ſylveſtris. *Common Mallow.*

a The flower as before. The petals narrow, heart-ſhaped, and much more deeply end-nicked.

b c The column of ſtamens, and piſtil ſeparated.

d The fruit, with the double calyx; the outer very narrow, the clefts of the

inner broad and large: there are five of theſe, and three diſtinct leaves in the other; but all of them could not be repreſented. The fruit flat, with many ſeeds in a ring, each covered with its aril, or looſe coat.

Fig. 3. Geranium zonale. *Horſe-ſhoe Craneſbill.*

a The flower, ſhowing the corolla of five unequal petals, with the column of ſtamens, very ſlightly connected at bottom, and of unequal lengths.

b The calyx, with the column of ſtamens. Both theſe figures ſhow the ſtyle ſtanding up above the ſtamens, and terminated by five ſtigmas.

c The fruit, with the permanent ſtyle and ſtigmas; ſhowing the beaked form of it, and the five ſeeds in their arils, each terminated by a tail, and ſeparating from the beak. *a b c* ſhow that the calyx is ſingle and five-leaved.

N. B. Theſe figures ſerve to explain the claſs *Monadelphia:* and two of the orders, *Decandria*, Fig. 3, and *Polyandria*, Fig. 1, 2.

Drawn & Engraved by S. P. Hall

Published 1st May 1830 by the Proprietors, by B. White & Son

PLATE XXIII. LETTER XXV.

DIADELPHIA DECANDRIA.

Lathyrus latifolius. *Everlaſting Pea.*

Fig. 1. A bunch of flowers, in their natural ſize and ſituation.

Fig. 2. The banner.

Fig. 3. One of the wings.

Fig. 4. The keel.

Fig. 5. The ſtamens and piſtil in their natural ſituation.

Fig. 6. The ſtamens, ſhowing the ſimple filament ſeparate from the compound one.

Fig. 7. The piſtil.

See Plate III.

Drawn & Engraved by J. P. Noble.)

Published 1st May 1798, by the Rt. Hon.ble P. Abbot & Son.)

PLATE XXIV. LETTER XXV.

POLYADELPHIA.

Hypericum Aſcyron. *Garden Tutſan.*

a The flower, with a corolla of five petals and the numerous ſtamens in the middle.

b A ſingle pencil or parcel of ſtamens.

c The permanent five-parted calyx, including the germ terminated by five piſtils.

b Explains the characters of the claſs and order—Polyadelphia Polyandria.



Drawn & Engraved by J. F. Nodder. —)

Published 1 May 1788, as the Act directs, by B. White & Son.

PLATE XXV. LETTER XXVI.

SYNGENESIA POLYGAMIA ÆQUALIS.

Fig. 1. Tragopogon porrifolium. *Salſafy.*

a A flower cloſed, ſhowing the ſimple calyx.
b A ſingle ligulate floſcule.
c A floſcule, deprived of the corolla.
d A ſeed, with the feathered ſtipitate down.
e The cylinder of anthers, with the piſtil perforating it, terminated by the two revolute ſtigmas.
f The cylinder of anthers alone.

Fig. 2. Carduus nutans. *Muſk Thiſtle.*

a The compound flower, ſhowing the calyx all imbricate with thorny ſcales.
b A front view of the whole compound flower, compoſed wholly of tubulous florets.
c A ſingle floſcule or floret.
d The cylinder of anthers.
e The piſtil.

Fig. 3. Eupatorium cannabinum. *Common Hemp Agrimony.*

a A bunch of flowers.
b A ſingle flower.
c A ſingle bunch of flowers.
d The down.

Obſ. Theſe three figures explain the three ſections of this order. 1. Containing compound flowers with ligulate florets only. 2. The capitate or headed flowers, with tubulous florets only. 3. The diſcoid, or naked diſcous flowers, with tubulous florets, but not in a head.

Drawn & Engraved by F.P. Nodder.

Publyhed 1 May 1788, as the Act directs, by B White & Son.

PLATE XXVI. LETTER XXVI.

SYNGENESIA POLYGAMIA SUPERFLUA.

Doronicum pardalianches. *Common Leopard's Bane.*

a The compound radiated flower, conſiſting of regular tubulous floſcules in the diſk, and irregular ligulate floſcules in the ray.

b The under part of the flower, ſhowing the double row of ſcales to the calyx.

c One of the ſemi-florets, or ligulate floſcules, taken from the ray, to ſhow that the ſeed is naked, or deſtitute of down.

d A floret from the diſk, the ſeed of which is crowned with a ſimple down.

e A ſection of the diſk, in order to exhibit the naked receptacle.

Drawn & engraved by J. N. Le.

Published 1 May [illegible] by [illegible]

PLATE XXVII. LETTER XXVI.

SYNGEN. POLYG. FRUSTRANEA and NECESSARIA.

Fig. 1. Centaurea montana. *Mountain Blue Bottle.*

a The compound flower, ſhowing the neutral or barren florets on the outſide, longer than the fertile ones in the middle, and the ciliated ſcales of the calyx.

b A barren floret.

c A fertile floret, with ſome of the briſtles at the baſe.

d The ſame, diveſted of the corolla.

e The piſtil.

N. B. This ſerves to explain the order Polygamia Fruſtranea in the claſs Syngeneſia.

Fig. 2. Calendula officinalis. *Garden Marigold.*

a The compound radiated flower.

b The calyx, with the ſeeds in the ray only, bending inwards after the florets are decayed.

c The boat-ſhaped muricated ſeed, without down.

d A barren ſeed, from one of the central flowers.

e A fertile floſcule from the ray.

f A barren floſcule from the diſk.

N. B. This ſerves to explain the order Polygamia Neceſſaria in the claſs Syngeneſia.



Drawn Engraved by J. P. Neale.

Published as the Act directs by R. White & Son.

PLATE XXVIII. LETTER XXVI.

SYNGEN. POLYG. SEGREGATA.

Echinops ſphærocephalus. *Globe Thiſtle.*

a The entire compound flower, conſiſting of tubular florets, ſeparated by their proper perianths; which determines this plant to be of the ſegregate order in the claſs Syngeneſia.

b A ſinuated leaf, the jags ending in ſpines.

c A ſingle floſcule in its calyx.

d A floſcule taken out of the calyx, with the ſtyle ſeparate.

e A ſingle ſubulate leaflet of the calyx, in three different views.

Drawn & Engraved by J. P. Miller.

Published 1st May 1788, as the Act directs, by B. White & Son.

PLATE XXIX. LETTER XXVI.

SYNGENESIA MONOGAMIA.

Viola odorata. *Sweet Violet.*

a The calyx of five leaves.
b The corolla of five irregular petals.
c The horn-ſhaped nectary.
d A flower opened, to ſhow the ſtamens with the five connected anthers.
e The ſtamens within the calyx.
f A ſingle ſtamen.
g The piſtil.
h h h The heart-ſhaped leaves.
i i The young leaves, involuted, rolled inwards, or rather upwards.
k k k The ſcape, with the double bracte on the middle of it.
l One of the ſtolones, or runners, putting forth roots.

Drawn & engraved by Jn. P. Webber

Published 1 May 1788, as the Act directs, by B. White & Son

PLATE XXX. LETTER XXVII.

GYNANDRIA.

Paſſiflora cærulea. *Blue Paſſion Flower.*

a The palmated leaf.

b The corolla and calyx, each of five leaves, and having the ſame appearance in front.

c The radiate crown, which is the nectary.

d The piſtil and five ſtamens.

e The anthers terminating the filaments, which ſpring from the bottom of the germ, where it meets the pedicle, upon which it ſtands.

f f f The three ſtigmas ariſing from the germ.

Drawn & Engraved by J. P. Neale.

Published 1 May 1798 as the Act directs by B. White & Son.

PLATE XXXI. LETTER XXVIII.

MONOECIA.

Momordica Elaterium. *Spirting Cucumber.*

a a The male or ſtaminiferous flowers.

b b The female or piſtilliferous flowers, with the large germ below the receptacle.

c The male flower, ſhowing the three filaments, with double anthers on two of them, and a ſimple anther on the third.

d The germ, ſurmounted with the ſtyle, divided into three parts, each part ſuſtaining an oblong gibbous ſtigma.

e The divided part of the ſtyle, with the ſtigmas.

f Two different views of a ſingle ſtigma.

Drawn & Engraved by J. Sowerby.

Published 1 May 1798, as the Act directs, by B. White & Son.

PLATE XXXII. LETTER XXIX.

DIOECIA.

Cannabis ſativa. *Hemp.*

Fig. 1. *Female Hemp.*

a A ſingle female flower.
b The ſeed included within the calyx.

Fig. 2. *Male Hemp.*

a Male flowers ſeparate.

Drawn & Engraved by J. B. Sowerby.

Published 1 May 1798, as the Act directs by B. White & Son.

PLATE XXXIII. LETTER XXX.

POLYGAMIA MONOECIA.

Acer campeſtre. *Common Maple.*

a a The lobed leaves.

b b Bunches of flowers. — *c* Perfect. — *d* Male, with ſtamens only.

e A ſingle perfect flower.

f A petal.

g A perfect flower diveſted of the corolla and calyx.

h A ſingle ſtamen.

i The piſtil, with the two revolute ſtigmas, and the rudiment of the two capſules, terminating in a wing.

k A male, or ſtaminiferous flower, and a ſingle petal of it.

Drawn & Engraved by Sam. Neddon.

Published 1 May 1795, as the Act directs by B. White & Son.

PLATE XXXIV. LETTER XXXI.

NECTARIES.

Fig. 1. Aconitum Napellus. *Blue Monk's Hood.*

a a The two recurved pedunculated nectaries.

b A ſingle nectary, taken out of the flower.

Fig. 2. Delphinium Ajacis. *Garden Lark-ſpur.*

a The nectary, continued backward in form of a horn or ſpur.

Fig. 3. Parnaſſia paluſtris.

a A flower, with the nectareous ſcales at the baſe of the ſtamens.

b The five heart-ſhaped nectaries, terminating in hairs, with a little ball on the top of each, and placed between the ſtamens.

Fig. 4. A petal of the Ranunculus, ſhowing the honied gland juſt above the baſe, on the inſide at *a a*.

Fig. 5. Iris or Flag. The nectary, in form of a villous line, along the middle of one of the reflex petals.

Fig. 6. Fritillaria Imperialis. *Crown Imperial.*

a An excavation at the base of the petal, which is the nectary.

Fig. 7. Asphodelus luteus. *Yellow Asphodel.*

a The flower, showing the six stamens, each sitting on its valve, and the six valves forming an arch over the germ.

b A single filament on its scale, which is inserted into the base of the petal.

Fig. 8. Helleborus fœtidus. *Stinking Black-Hellebore.*

a The tubular nectaries placed in a ring at the base of the stamens.

b A single nectary.

Drawn & Engraved by F. & H. Nodder.

Published 1 May 1792, as the Act directs, by B. White & Son.

PLATE XXXV. LETTER XXXII.

CRYPTOGAMIA FILICES. Ferns.

Oſmunda Spicant. *Rough Spleenwort.*

Fig. 1. The barren frond.

Fig. 2. The fertile frond.

Fig. 3. A ſingle pinna magnified, with the ſcales at *a a*; and covers of the capſules at *b b*.

Fig. 4. A part of the pinna more magnified, with the anthers on the rib at *a*, and the membrane rolled back at *b b*, to exhibit the rudiments of the ſeed veſſels at *c c*.

PLATE XXXVI. LETTER XXXII.

CRYPTOGAMIA MUSCI. Moſſes.

Bryum pyriforme. *Pear Bryum.*

Fig. 1. The moſs of its natural ſize.

Fig. 2. The anthers yet entire.

Fig. 3. The female flower, while it is yet incloſed within the inmoſt leaves.

Fig. 4. The ſame ſeparated, with the appendages, viz. *a a* the adductors. *b b* the cylindrical jointed threads.

2

1



4



3

Drawn & Engraved by W. P. Walker.

Published 1 May 1791, as the Act directs, by G. Wilkins Salisbury.



1

3

Drawn & Engraved by Will. Sadler.

Published 1. May 1798, as the Act directs, by B. White & Son.

PLATE XXXVII. LETTER XXXII.

CRYPTOGAMIA ALGÆ.

Lichen ciliaris. *Ciliated Liverwort.*

Fig. 1. The plant of its natural ſize.

Fig. 2. The ſame magnified.

a a The male or barren flowers.

b b The females in a ſtate of ripeneſs.

c c The rooting hairs.

d d The hairs, or ciliæ, growing on the extremities.

Fig. 3. The ſeeds magnified.

PLATE XXXVIII. LETTER XXXII.

CRYPTOGAMIA FUNGI. Funguſes.

Agaricus Dillen. giſſ. p. 185.

Fig. 1. Plants of different ages, and of their natural ſize.

a Is the Fungus in its perfect or adult ſtate.

b The ſame in its middle ſtate.

c Small plants juſt riſing.

Fig. 2. A parcel of knotted threads from the fungus marked *b*, ſuppoſed to be the ſtamens.

Fig. 3. A ſection of the cap *(a)* and lamella *(b)* of the ſame ſmall fungus magnified.

Fig. 4. The ripe ſeeds of this fungus much magnified.

Obſ. Theſe four plates are copied from Hedwig's Theoria, as it would have anſwered little purpoſe to figure ſuch minute plants of their natural ſize only.

THE END.



Drawn & Engraved by Js. L. Nobbs.

Published 1. May 1795, as the Act directs, by B. White & Son.

BOOKS

Lately Publiſhed by JOHN WHITE.

1. Letters on the Elements of BOTANY. Addreſſed to a Lady, by the celebrated J. J. ROUSSEAU. Tranſlated into Engliſh, with Notes, and twenty-four additional Letters, fully explaining the Syſtem of Linnæus. By THOMAS MARTYN, B.D. F.R. and L.S.S. Profeſſor of Botany in the Univerſity of Cambridge. The Fourth Edition. Price Seven Shillings, in Boards.

2. The LANGUAGE of BOTANY: being a Dictionary of the Terms made uſe of in that Science, principally by Linnæus: with familiar Explanations, and an Attempt to eſtabliſh Significant Engliſh Terms. The whole interſperſed with Critical Remarks. By THOMAS MARTYN, B.D. F.R. and L.S.S. &c. Price Five Shillings, in Boards.

3. FLORA DIÆTETICA; or, Hiſtory of Eſculent Plants, both domeſtic and foreign: in which they are accurately deſcribed, and reduced to their Linnæan Generic and Specific Names; with their Engliſh Names annexed, and ranged under eleven General Heads, viz. 1. Eſculent Roots; 2. Shoots, Stalks, &c; 3. Leaves; 4. Flowers; 5. Berries; 6. Stone Fruit; 7. Apples; 8. Legumens; 9. Grain; 10. Nuts; 11. Funguſes; and a particular Account of the Manner of uſing them; their native Places of Growth; their ſeveral Varieties and Phyſical Properties: together with whatever is otherwiſe curious or remarkable in each Species. By CHARLES BRYANT. Price Six Shillings, in Boards.

4. Elements of CONCHOLOGY: or, an Introduction to the Knowledge of Shells. With ſeven Plates, containing Figures of every Genus of Shells. By EMANUEL MENDES DA COSTA. Price Seven Shillings and Sixpence; or, the Plates beautifully coloured, Fifteen Shillings, in Boards.

5. The NATURALIST's JOURNAL, upon the Plan of Mr. Stillingfleet, for keeping a daily Regiſter of Obſervations on the Weather, Plants, Birds, Inſects, &c. By the Honourable DAINES BARRINGTON: a new Edition, neatly engraved, and printed on a fine Writing Paper. Price Five Shillings, ſewed in Marble Paper.

6. The Natural Hiſtory of many curious and uncommon ZOOPHYTES, collected from various Parts of the Globe. By the late JOHN ELLIS, Eſq. F. R. S. Syſtematically arranged and deſcribed by the late DANIEL SOLANDER, M. D. F. R. S. &c. with ſixty-two very elegant Plates. Price One Pound Sixteen Shillings, in Boards.

7. New Illuſtrations of ZOOLOGY, intended as a Supplement to Edwards's Natural Hiſtory of Birds. By PETER BROWN. With fifty Plates of new, curious, and non-deſcript Birds, Quadrupeds, &c. moſt beautifully coloured. Price Three Guineas, half bound.

8. Handſomely printed on a fine Paper, in One Volume Quarto, ornamented with elegant Engravings, The Natural Hiſtory and Antiquities of SELBORNE, in the County of Southampton; in a Series of Letters to THOMAS PENNANT, Eſq. and the Honourable DAINES BARRINGTON. By the Reverend GILBERT WHITE, M. A. late Fellow of Oriel College in Oxford. Price one Guinea, in Boards.

9. The LIFE of LINNÆUS, with a Liſt of his Works, and a Biographical Sketch of the Life of his SON. Tranſlated from the Original German, of D. H. STOEVER, Ph. D. by JOSEPH TRAPP, A. M. Dedicated to the Linnæan Society; with a Portrait of Linnæus, by Heath. Price One Guinea, in Boards.

10. The ſame on Large Paper. Price One Pound Seven Shillings.

New York Botanical Garden Library
QK 92 .R65 M3 1799 gen
Martyn, Thomas/Thirty-eight plates, with
3 5185 00091 4216